

Izdelek / Product: **JUBIZOL SILICONE FINISH T 2.0**

IZJAVA O LASTNOSTIH
DECLARATION OF PERFORMANCE
Št. / No. 001/22-SNZ

1. **Enotna identifikacijska oznaka tipa proizvoda / Unique identification code of product**
10.01.19

2. **Predvidena uporaba / Intended use**

Zunanji omet na osnovi organskih veziv za dekorativno zaščito fasadnih zidnih površin / External render based on organic binder for decorative protection of facade walls

3. **Proizvajalec / Manufacturer**

JUB d.o.o.

Dol pri Ljubljani 28

SI-1262 Dol pri Ljubljani

Slovenia

www.jub.eu

4. **Sistemi ocenjevanja in preverjanja nespremenljivosti lastnosti / System of AVCP**

Sistem 3 / System 3

5. **Tehnična specifikacija / Technical specification**

EN 15824

6. **Navedene lastnosti / Declared performance**

Bistvene značilnosti / Characteristic	Lastnost / Declaration	Standard / Norm	Tehnična specifikacija / Technical specification
Odziv na ogenj / Reaction to fire	A2	EN 13501-1	EN 15824:2017
Sprijemna trdnost / Bond strength	> 0,3 MPa	EN 1542	EN 15824:2017
Toplotna prevodnost $\lambda_{10, suh}$ / Thermal conductivity $\lambda_{10, dry}$	0,83 W/mK, P=50%	EN 1745	EN 15824:2017
Paroprepusnost / Water vapour permeability	V1 (visoka) / V1 (High)	EN ISO 7783-2	EN 15824:2017



Vpijanje vode / Water absorption	W3	EN 1062-3	EN 15824:2017
Sproščanje nevarnih snovi / Release of dangerous substances	Glej varnostni list / See Safety data sheet		EN 15824:2017

7. **Proizvod je tudi komponenta zunanjega toplotnoizolacijskega sistema z ometom / Product is also component of external thermal insulation composite system with render**

JUBIZOL EPS, ETA-09/0393
 JUBIZOL MW, ETA-10/0334
 JUBIZOL PB EPS, ETA-13/0633
 JUBIZOL PB MW, ETA-13/0632
 JUBIZOL S70, ETA-08/0236
 JUBIZOL XPS, ETA-07/0028

ZAG Ljubljana 1404-CPR-2792
 ZAG Ljubljana 1404-CPR-2793
 ZAG Ljubljana 1404-CPR-3215
 ZAG Ljubljana 1404-CPR-3216
 ZAG Ljubljana 1404-CPR-3222
 ZAG Ljubljana 1404-CPR-2794

Lastnosti proizvoda, navedenega zgoraj, so v skladu z navedenimi lastnostmi. Za izdajo te izjave o lastnostih je v skladu z Uredbo (EU) št. 305/2011 odgovoren izključno proizvajalec, naveden zgoraj.

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Podpisal za in v imenu proizvajalca / Signed for and on behalf of the manufacturer by:

Dol pri Ljubljani, 10.08.2022

Danijel Lisičić,
 Vodja razvojnega področja




JUB d.o.o.
 Dol pri Ljubljani 28
 SI-1262 Dol pri Ljubljani
 Slovenija



 1404	
14	
JUB d.o.o. Dol pri Ljubljani 28 SI – 1262 Dol pri Ljubljani Slovenia Unique identification code of product: 10.01.19 Declaration of performance No.: 001/22-SNZ	
EN 15824:2017	
<i>External render based on organic binder for decorative protection of facade walls</i>	
Reaction to fire	A2
Bond strength	> 0,3 MPa
Thermal conductivity $\lambda_{10,dry}$	0,83 W/mK, P = 50% (value from EN 1745)
Water vapour permeability	V1
Water absorption	W3
Release of dangerous substances	See Safety data sheet
www.jub.eu	

