

Izdelek / Product: **JUBIZOL SILICATE FINISH S 1.5 / 2.0**

**IZJAVA O LASTNOSTIH**  
**DECLARATION OF PERFORMANCE**  
**Št. / No. 001/20-STG**

1. **Enotna identifikacijska oznaka tipa proizvoda / Unique identification code of product**  
10.02.38

2. **Predvidena uporaba / Intended use**

**Zunanji omet za dekorativno zaščito fasadnih zidnih površin / External render for decorative protection of facade walls**

3. **Proizvajalec / Manufacturer**

JUB d.o.o.  
Dol pri Ljubljani 28  
SI-1262 Dol pri Ljubljani  
Slovenia  
[www.jub.eu](http://www.jub.eu)

4. **Sistemi ocenjevanja in preverjanja nespremenljivosti lastnosti / System of AVCP**

Sistem 3 / System 3

5. **Tehnična specifikacija / Technical specification**

EN 15824

6. **Navedene lastnosti / Declared performance**

Bistvene značilnosti / Characteristic	Lastnost / Declaration	Standard / Norm	Tehnična specifikacija / Technical specification
Odziv na ogenj / Reaction to fire	<b>A2</b>	EN 13501-1	EN 15824:2017
Sprijemna trdnost / Bond strength	<b>&gt; 0,3 MPa</b>	EN 1542	EN 15824:2017
Toplotna prevodnost $\lambda_{10, \text{suh}}$ / Thermal conductivity $\lambda_{10, \text{dry}}$	<b>0,83 W/mK, P=50%</b>	EN 1745	EN 15824:2017
Paroprepusnost / Water vapour permeability	<b>V1 (visoka) / V1 (High)</b>	EN ISO 7783-2	EN 15824:2017
Vpijanje vode / Water absorption	<b>W3</b>	EN 1062-3	EN 15824:2017



7. **Proizvod je tudi komponenta zunanjega toplotnoizolacijskega sistema z ometom /**  
*Product is also component of external thermal insulation composite system with render*

**JUBIZOL EPS, ETA-09/0393**  
**JUBIZOL MW, ETA-10/0334**  
**JUBIZOL PB EPS, ETA-13/0633**  
**JUBIZOL PB MW, ETA-13/0632**  
**JUBIZOL S70, ETA-08/0236**  
**JUBIZOL XPS, ETA-07/0028**

**ZAG Ljubljana 1404-CPR-2792**  
**ZAG Ljubljana 1404-CPR-2793**  
**ZAG Ljubljana 1404-CPR-3215**  
**ZAG Ljubljana 1404-CPR-3216**  
**ZAG Ljubljana 1404-CPR-3222**  
**ZAG Ljubljana 1404-CPR-2794**

**Lastnosti proizvoda, navedenega zgoraj, so v skladu z navedenimi lastnostmi. Za izdajo te izjave o lastnostih je v skladu z Uredbo (EU) št. 305/2011 odgovoren izključno proizvajalec, naveden zgoraj.**

*The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.*

**Podpisal za in v imenu proizvajalca / Signed for and on behalf of the manufacturer by:**

Dol pri Ljubljani, 13.08.2020

Danijel Lisičić,  
Vodja razvojnega področja



JUB d.o.o.  
Dol pri Ljubljani 28  
SI-1262 Dol pri Ljubljani  
Slovenija





JUB d.o.o.  
 Dol pri Ljubljani 28  
 SI – 1262 Dol pri Ljubljani  
 Slovenia  
**14**

Unique identification code of product: 10.02.38  
 Declaration of performance No.: 001/20-STG

**EN 15824:2017**

*External render for decorative protection of facade walls*

Reaction to fire	A2
Bond strength	> 0,3 MPa
Thermal conductivity $\lambda_{10,dry}$	0,83 W/mK, P = 50% (value from EN 1745)
Water vapour permeability	V1
Water absorption	W3

