

Izdelek / Product: **JUBIZOL AEROGEL FINISH S 1.5 / 2.0**

**IZJAVA O LASTNOSTIH**  
**DECLARATION OF PERFORMANCE**  
**Št. / No. 001/20-AGG**

1. **Enotna identifikacijska oznaka tipa proizvoda / Unique identification code of product**  
10.02.50

2. **Predvidena uporaba / Intended use**

**Zunanji omet na osnovi organskih veziv za dekorativno zaščito fasadnih zidnih površin / External render based on organic binder for decorative protection of facade walls**

3. **Proizvajalec / Manufacturer**

JUB d.o.o.

Dol pri Ljubljani 28

SI-1262 Dol pri Ljubljani

Slovenia

[www.jub.eu](http://www.jub.eu)

4. **Sistemi ocenjevanja in preverjanja nespremenljivosti lastnosti / System of AVCP**

Sistem 4 / System 4

5. **Tehnična specifikacija / Technical specification**

EN 15824

6. **Navedene lastnosti / Declared performance**

Bistvene značilnosti / Characteristic	Lastnost / Declaration	Standard / Norm	Tehnična specifikacija / Technical specification
<b>Odziv na ogenj / Reaction to fire</b>	<b>F</b>	EN 13501-1	EN 15824:2017
<b>Sprijemna trdnost / Bond strength</b>	<b>&gt; 0,3 MPa</b>	EN 1542	EN 15824:2017
<b>Toplotna prevodnost <math>\lambda_{10, suh}</math> / Thermal conductivity <math>\lambda_{10, dry}</math></b>	<b>0,83 W/mK, P=50%</b>	EN 1745	EN 15824:2017
<b>Paroprepusnost / Water vapour permeability</b>	<b>V1 (visoka) / V1 (High)</b>	EN ISO 7783-2	EN 15824:2017



<b>Vpijanje vode / Water absorption</b>	<b>W3</b>	EN 1062-3	EN 15824:2017
<b>Sproščanje nevarnih snovi / Release of dangerous substances</b>	<b>Glej varnostni list / See Safety data sheet</b>		EN 15824:2017

7. **Proizvod je tudi komponenta zunanjega toplotnoizolacijskega sistema z ometom /  
Product is also component of external thermal insulation composite system with render**

**JUBIZOL EPS, ETA-09/0393  
JUBIZOL MW, ETA-10/0334**

**ZAG Ljubljana 1404-CPR-2792  
ZAG Ljubljana 1404-CPR-2793**



**Lastnosti proizvoda, navedenega zgoraj, so v skladu z navedenimi lastnostmi. Za izdajo te izjave o lastnostih je v skladu z Uredbo (EU) št. 305/2011 odgovoren izključno proizvajalec, naveden zgoraj.**

*The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.*

**Podpisal za in v imenu proizvajalca / Signed for and on behalf of the manufacturer by:**


Dol pri Ljubljani, 16.10.2020

Danijel Lisičić,  
Vodja razvojnega področja



JUB  
JUB d.o.o.  
Dol pri Ljubljani 26  
SI-1000 Dol pri Ljubljani, Slovenija



 <b>1404</b>	
20	
JUB d.o.o. Dol pri Ljubljani 28 SI – 1262 Dol pri Ljubljani Slovenia	
Unique identification code of product: 10.02.50 Declaration of performance No.: 001/20-AGG	
<b>EN 15824:2017</b>	
<i>External render based on organic binder for decorative protection of facade walls</i>	
Reaction to fire	F
Bond strength	> 0,3 MPa
Thermal conductivity $\lambda_{10,dry}$	0,83 W/mK, P = 50% (value from EN 1745)
Water vapour permeability	V1
Water absorption	W3
Release of dangerous substances	See Safety data sheet
<a href="http://www.jub.eu">www.jub.eu</a>	