

Page 1/11

## Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier
· Trade name: BIO apnena fasadna barva
• Article number: 2.000.063
<ul> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Life cycle stages PW Widespread use by professional workers C Consumer use </li> <li>Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU19 Building and construction work Process category PC9a Coatings and paints, thinners, paint removers Process category PROC10 Roller application or brushing Environmental release category ERC10a Widespread use of articles with low release (outdoor) Article category AC4 Stone, plaster, cement, glass and ceramic articles Application of the substance / the mixture Façade paint Dispersion paint/ Latex paint</li></ul>
• 1.3 Details of the supplier of the safety data sheet
<ul> <li>Manufacturer/Supplier: JUB d.o.o.</li> <li>Dol pri Ljubljani 28</li> <li>1262 DOL PRI LJUBLJANI</li> <li>SLOVENIA</li> <li>T: + 386 1 5884 183</li> <li>F: + 386 1 5884 250</li> <li>E: info@jub.si</li> </ul>
<ul> <li>Further information obtainable from: Laura Učakar</li> <li>T: +386 1 5884 185</li> <li>F: +386 1 5884 227</li> <li>E: laura.ucakar@jub.eu</li> </ul>

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

(Contd. of page 1)

## · 1.4 Emergency telephone number:

UK Emergency number: 999

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- $\cdot$  Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

## · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: calcium dihydroxide sodium hydroxide
  Hazard statements H314 Causes severe skin burns and eye damage.
  Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

(Contd. on page 3)

GB

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

(Contd. of page 2) P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

## · 2.3 Other hazards

· Results of PBT and vPvB assessment Not applicable.

• **PBT:** Not applicable.

• **vPvB**: Not applicable.

## **SECTION 3: Composition/information on ingredients**

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 1305-62-0	calcium dihydroxide	5-10%		
EINECS: 215-137-3	Eye Dam. 1, H318			
Reg.nr.: 01-2119475151-45	Skin Irrit. 2, H315; STOT SE 3, H335			
CAS: 1310-73-2	sodium hydroxide	0-≤1%		
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	1		
Reg.nr.: 01-2119457892-27				
CAS: 7722-88-5	tetrasodium pyrophosphate	≤0.05%		
EINECS: 231-767-1	Eye Dam. 1, H318			
	Acute Tox. 4, H302			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

• After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately. Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

(Contd. of page 3)

## **SECTION 5: Firefighting measures**

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

#### • 5.3 Advice for firefighters

· Protective equipment: No special measures required.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. In case of gas release or seepage into the ground inform responsible authorities. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

(Contd. on page 5)

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

(Contd. of page 4)

- **Information about storage in one common storage facility:** Do not store together with oxidising and acidic materials.
- Further information about storage conditions: Protect from frost. Keep container tightly sealed.
- · Storage class: 8 B
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

### • Ingredients with limit values that require monitoring at the workplace:

## CAS: 1305-62-0 calcium dihydroxide

WEL Short-term value: 4\* mg/m<sup>3</sup> Long-term value: 5 1\* mg/m<sup>3</sup>

\*resprable fraction

## CAS: 1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

## CAS: 7722-88-5 tetrasodium pyrophosphate

WEL Long-term value: 5 mg/m<sup>3</sup>

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:

## • General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. Do not eat or drink while working.

### · Respiratory protection:

Short term filter device: Suitable respiratory protective device recommended.

### · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Protective gloves

(Contd. on page 6)

GB

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

(Contd. of page 5)

Check protective gloves prior to each use for their proper condition. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Eye protection:

Safety glasses Tightly sealed goggles Goggles recommended during refilling

· Body protection: Use protective suit.

### · Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 374.

- Protective goggles must comply with standard BS EN 166.

- Protective mask respirator for fine dust particles and vapors should be in accordance with BS EN 143 (full face masks).

[

## **SECTION 9: Physical and chemical properties**

Fluid White Characteristic
White
Characteristic
Not determined.
11-13
Undetermined.
≥100 °C
Not applicable.
(Contd. on page 7)

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

	(Contd. of page 6)	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.38-1.42 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Viscosity:		
Dynamic at 20 °C:	2,000-4,000 mPas	
Kinematic:	Not determined.	
· Solvent content:	EU VOC (kat. A/c) 40 g/l (2010)	
	<20.0 g/l	
· Water:	38.8 %	
· VOC (EC)	1.64 %	
9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

GB

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

(Contd. of page 7)

## **SECTION 11: Toxicological information**

## · 11.1 Information on toxicological effects

 $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

## CAS: 1305-62-0 calcium dihydroxide

Oral LD50 7,340 mg/kg (rat)

## CAS: 1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

## · Primary irritant effect:

• Skin corrosion/irritation Causes severe skin burns and eye damage.

- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

## · Aquatic toxicity:

CAS: 1310-73-2 sodium hydroxide

LC50/96 h 45 mg/l (/)

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 9)

GB

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

(Contd. of page 8)

Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## · 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

Disposal of lime products must be carried out in accordance with legal provisions:

1.Product - unused residue:

If possible, re-use the product (shelf life and storage method are important). In the event of disposal, harden it with sand and dispose of it according to "product - hardened" or deliver it at separate collection of hazardous construction waste, classification number: 17 09 03\* (Other construction and demolition wastes (including mixed wastes) containing hazardous substances) 2.Product – hardened

Prevent entry into drains. Remove hardened material as construction waste. The waste is not hazardous waste, but is inert. Classification number of waste: 17 09 04 (Mixed construction and demolition wastes).

Packaging waste

Packaging waste must be completely emptied and disposed of in accordance with the Decree on packaging and packaging waste handling, classification number: 15 01 02 – Plastic packaging.

### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

· European waste catalogue			
08 01 12	waste paint and varnish other than those mentioned in 08 01 11		
15 01 02	plastic packaging		

• Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA

Void

(Contd. on page 10)

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

### Trade name: BIO apnena fasadna barva

		(Contd. of page 9)
<ul> <li>• 14.2 UN proper shipping name</li> <li>• ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to An	nex II	
of Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

## $\cdot$ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

\*

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

## $\cdot$ Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal

(Contd. on page 11)

GB

Revision: 17.07.2020

Version number 2

Date of the first version: 15.03.2019

## Trade name: BIO apnena fasadna barva

provisions for the pledge.

(Contd. of page 10)

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

## · Department issuing SDS:

JUB d.o.o. Product safety department

#### · Contact:

Laura Učakar laura.ucakar@jub.eu

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - oral - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 • \* Data compared to the previous version altered.