

Page 1/12

# Safety data sheet according to UK REACH

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: JUBIN Lasur transparent matt
- **Article number:** 2.002.498

## $\cdot$ 1.2 Relevant identified uses of the substance or mixture and uses advised against

- · Life cycle stages
- PW Widespread use by professional workers
- C Consumer use
- $\cdot$  Sector of Use
- SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- SU19 Building and construction work
- Product category PC0 Other
- Process category PROC10 Roller application or brushing
- Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- $\cdot$  Application of the substance / the mixture Wood coating
- $\cdot$  1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

JUB d.o.o. Dol pri Ljubljani 28 1262 DOL PRI LJUBLJANI SLOVENIA T: + 386 1 5884 183 F: + 386 1 5884 250 E: info@jub.si

### · Further information obtainable from:

Laura Učakar T: +386 1 5884 185 F: +386 1 5884 227 E: laura.ucakar@jub.eu

## · 1.4 Emergency telephone number:

UK Emergency number: 999

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

GB

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

(Contd. of page 1)

## **SECTION 2: Hazards identification**

## $\cdot$ 2.1 Classification of the substance or mixture

 $\cdot$  Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

#### · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one, 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

### · 2.3 Other hazards

- · Results of PBT and vPvB assessment Not applicable.
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	≤0.5%
EINECS: 204-809-1	Eye Dam. 1, H318	
Reg.nr.: 01-2119954390-39		
	Aquatic Chronic 3, H412	
		(Contd. on page 3)

GB -

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

# Trade name: JUBIN Lasur transparent matt

CAS: 2624 22 5	1.2 honzigothiazol 2(2H) one	(Contd. of page $0 < 0.05\%$
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	0-≤0.05%
EINECS: 220-120-9	Acute Tox. 1, H330	
	Eye Dam. 1, H318	
	Aquatic Acute 1, H400	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	ATE: LD50 oral: 450 mg/kg	
	LC50/4 h inhalative: 0.21 mg/l	
	Specific concentration limit:	
	Skin Sens. 1A; H317: C ≥0.036 %	
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one	0-≤0.0015%
	[EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one	
	[EC no. 220-239-6] (3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330	
	♦ Skin Corr. 1C, H314; Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic	
	1, H410 (M=100)	
	Skin Sens. 1A, H317	
	EUH071	
	Specific concentration limits:	
	Skin Corr. 1C; H314: C ≥0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	<b>≤</b> 0.001%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330	
	♦ Skin Corr. 1B, H314; Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,	
	H410 (M=1)	
	Skin Sens. 1A, H317	
	EUH071	
	Specific concentration limit:	
	Skin Sens. 1A; H317: C ≥0.0015 %	
CAS: 57-55-6	Propylene glycol	1-5%
EINECS: 200-338-0	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119456809-		

(Contd. on page 4)

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

(Contd. of page 3)

## **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

If symptoms persist consult doctor. Rinse out mouth and then drink plenty of water.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- $\cdot$  Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

(Contd. on page 5)

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

(Contd. of page 4)

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from frost.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

## CAS: 57-55-6 Propylene glycol

WEL Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm

\*total vapour and particulates \*\*particulates

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- $\cdot$  Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

- Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves

Protective gloves that meet the criteria of BS EN 374.

Check protective gloves prior to each use for their proper condition.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

GB

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

(Contd. of page 5)

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye/face protection

Safety glasses Protective goggles must comply with standard BS EN 166. Goggles recommended during refilling

• **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties				
• 9.1 Information on basic physical and chemical properties				
· General Information				
· Physical state	Fluid			
Colour:	According to product specification			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· Melting point/freezing point:	Undetermined.			
· Boiling point or initial boiling point and boiling	ng			
range	≥100 °C (CAS: 7732-18-5 water, distilled,			
	conductivity or of similar purity)			
· Flammability	Not applicable.			
· Lower and upper explosion limit				
· Lower:	Not determined.			
· Upper:	Not determined.			
· Flash point:	Not applicable.			
· Decomposition temperature:	Not determined.			
· pH at 20 °C	8-9			
· Viscosity:				
· Kinematic viscosity	Not determined.			
• Dynamic at 20 °C:	0-1,000 mPas			
· Solubility				
· water:	Fully miscible.			
· Vapour pressure:	Not determined.			
• Density and/or relative density				
• Density at 20 °C:	1.02-1.07 g/cm <sup>3</sup>			
· Relative density	Not determined.			
· Vapour density	Not determined.			
• 9.2 Other information				
· Appearance:				
· Form:	Viscous			
	(Contd. on page 7)			

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

# Trade name: JUBIN Lasur transparent matt

Important information on protection of h	(Contd. of pag	
Important information on protection of he and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:	EU VOC (kat. A/d) 130 g/l (2010)	
Solvent content.	<22.0 g/l	
Organic solvents:	>1.6 %	
Water:	13.8 %	
VOC (EC)	2.01 %	
Information with regard to physical has	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)

GB

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

Trade name: JUBIN Lasur transparent matt

(Contd. of page 7)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	relevant	for	classification:
-----------	--------	----------	-----	-----------------

Oral LD50 4,600 mg/kg (rat)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 450 mg/kg (ATE)

Inhalative LC50/4 h 0.21 mg/l (ATE)

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	49.6-75 mg/kg (rat)
Dermal	LD50	141 mg/kg (rabbit)
Inhalative	LC50/4 h	0.33 mg/l (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties

CAS: 556-67-2 octamethylcyclotetrasiloxane

List II; III

## **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 9)

GB

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

(Contd. of page 8)

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Not hazardous for water.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

· Europea	n waste catalogue
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
15 01 02	plastic packaging

• Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number		
· ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	

Revision: 06.02.2025

Version number 2

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

		(Contd. of page 9)
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk accord	ling to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

# $\cdot$ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

· Poisons Act

# · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

### · Reportable explosives precursors

None of the ingredients is listed.

### · Reportable poisons

CAS: 1336-21-6	ammonia	10%
CAS: 1310-58-3	potassium hydroxide	17% of total caustic alkalinity
CAS: 1310-73-2	sodium hydroxide	12% of total caustic alkalinity

· Labelling according to Regulation (EC) No 1272/2008 Void

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2004/42/EC
- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 11)

Revision: 06.02.2025

### Version number 2

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

· REGULATION (EU) 2019/1148

(Contd. of page 10)

# • Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

## · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

# • Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

## · Relevant phrases

\*

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

### · Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting

(Contd. on page 12)

Version number 2

Revision: 06.02.2025

Date of the first version: 28.04.2020

## Trade name: JUBIN Lasur transparent matt

(Contd.	of page	11)
---------	---------	-----

or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

# · Department issuing SDS:

JUB d.o.o. Product safety department

• **Contact:** Laura Učakar laura.ucakar@jub.eu

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 1: Acute toxicity - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• \* Data compared to the previous version altered.